

HDI trimer NPU HXR-90SB

ABOUT:

constitute	Polyisocyanates modified with HDI-based isocyanate trimers
Supply Form	100% solids
use	Used as a non-yellowing curing agent for two-component coatings with good weathering resistan

Typical property indicators:

	C-HXLV	Coronate-HXR	Coronate-HX	C-HK
appearances	Light yellow liquid			
NCO content (%)	22.5-23.9	21.6-22.1	20.5-22.0	19.3-20.7
Solid content (%)	100	100	100	100
Viscosity 25°C (mm ² /s)	800-1500	1700-3300	1300-3600	3620-14800
Color number	<40	<40	<80	<80

(APHA NO.)				
Free HDI content (wt%)	<0.2	<0.2	<0.6	<1.0
Specific gravity 20°C	1.17	1.17	1.16	1.17

Characteristics :

CORONATE HXR, HXLV, HX or HK are non-yellowing curing agents for polyurethane coatings with better properties than diurethane condensate urethane adducts. CORONATE HXR, HXLV, HX or HK are widely used in motorcycle parts, automobile refinishing and wood coatings because of their good heat resistance and good compatibility with polyols and solvents.

Storage and Transportation:

STORAGE: It is recommended to store in a dry and cool area with proper ventilation.

Packaging:

200KG/drum Please fasten the packaging cover as soon as possible after original packaging to prevent the mixing of other substances such as

moisture and other substances that may affect the performance of the product. Do not inhale dust, avoid skin and mucous membrane contact. Smoking, eating and drinking are prohibited in the workplace. After work, shower and change clothes. Store contaminated clothes separately and reuse them after washing. Maintain good hygiene practices.

E_mail us : info@allhdi.com