HDI Waterborne WanHua 278

Product Description:

Aquolin 278 is a water dispersible polyisocyanate based on hexam ethylene diisocyanate(HDI). In combination with waterborne polyure thane, polyacrylate, etc., it can be used for water-borne coatings. Thanks to its low viscosity and ease of handmixing, Aquolin 278 c an be used to prepare "solvent-free hardener" in order to produc e ultralow VOC coatings. After addition of Aquolin 278, the ready-to-use mixture must be used within the pot life.

Properties:

- 1. Matting effect.
- 2. Excellent water dispersibility.
- 3. Excellent weather resistance.

Characteristic data*

Property	Value	Unit	Method
Appearance	Colorless to yello		
	wish transparent I		
	iquid		
NCO content	22.5±0.5	%	GB/T 12009.4-2016

Viscosity	1500-3500	mPa·s	Brookfield LV, 63#/3r
			pm,25°C
Color APHA	<80		GB/T 1722-1992
Monomeric	≤ 0.2	%	GB/T 18446-2009
isocyanate			
Flash point	~196	°C	GB/T 5208
Density	~1.16	g/cm3	GB/T 4472-2011

^{*}These properties are typical but do not constitute specifications.

Storage:

The product should be stored in dry conditions above 5°C and bel ow 35°C with the integrity of the packaging, and prevent direct su nlight. The validity of this product is for 12 months, performance assessment is recommended before use after shelf life. The product should be protected from freezing during storage. Water dispersi ble polyisocyanates are very moisture-sensitive and react with water to form carbon dioxide and insoluble ureas. The generation of carbon dioxide can lead to dangerous increases in pressure. The containers must always be kept tightly closed and the access of water in all forms must be prevented. It is suggested to use up once the package is open.

Packaging:

200KG/drum Please fasten the packaging cover as soon as possible

after original packaging to prevent the mixing of other substances

such as moisture and other substances that may affect the

performance of the product. Do not inhale dust, avoid skin and

mucous membrane contact. Smoking, eating and drinking are

prohibited in the workplace. After work, shower and change clothes.

Store contaminated clothes separately and reuse them after washing.

Maintain good hygiene practices.

E_mail us : <u>info@allhdi.com</u>